

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	353	(free NEAR4 space\$1) NEAR8 manag\$6	USPAT	OR	OFF	2007/03/27 17:21
S17 6	1	"5841740".pn. AND (reus\$3 re-us\$3 use uses used using again once)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:22
S17 7	1	"5841740".pn. AND (handl\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:23
S17 8	1	"5841740".pn. AND (discard\$3 delet\$4 eras\$4 trash\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:29
S18 0	2	"6349349 ".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:30
S17 9	2	"6779079".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:31
S18 1	0	("6349349" "6779079").pn. AND (stream\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:32
S18 3	1	S182 AND (stream\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:39
S18 2	13	("6349349" "6779079" "6253232" "6341278" "6321237" "6349349" "5897631" "6253232" "5933534" "5740435").pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:39

EAST Search History

S16 6	82	(generat\$4 WITH stream\$1 WITH (unique\$1 NEAR2 (id ids identif\$8)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:40
S18 7	7	S186 AND "707"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:43
S18 9	61	((generat\$4 creat\$3 mak\$3 construct\$4) WITH stream\$5 WITH (unique\$2 NEAR2 (id ids identif\$8))). clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:47
S18 8	0	S185 AND (((free unused empty) NEAR4 (space\$1 storage\$1 record\$3 memor\$4 disc\$1 disk\$1)) NEAR6 manag\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:47
S18 6	68	S185 AND ((free unused empty) NEAR4 (space\$1 storage\$1 record\$3 memor\$4 disc\$1 disk\$1))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:47
S18 5	305	((generat\$4 creat\$3 mak\$3 construct\$4) WITH stream\$5 WITH (unique\$2 NEAR2 (id ids identif\$8)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:47
S19 0	0	S189 AND ((free unused empty) NEAR4 (space\$1 storage\$1 record\$3 memor\$4 disc\$1 disk\$1)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:49
S18	2554	(record\$3 NEAR4 mean\$1)	USPAT	OR	OFF	2007/03/27 17:49
S19 2	1	S189 AND ((free unused empty available) NEAR4 (space\$1 storage\$1 record\$3 memor\$4 disc\$1 disk\$1 capacit\$4)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:51
S19 1	1	S189 AND ((free unused empty available) NEAR4 (space\$1 storage\$1 record\$3 memor\$4 disc\$1 disk\$1)). clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:51

EAST Search History

S19 4	9	S193 AND "707"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:53
S19 3	124	S185 AND ((free unused empty available) NEAR4 (space\$1 storage\$1 record\$3 memor\$4 disc\$1 disk\$1 capacit\$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:53
S18 4	305	((generat\$4 creat\$3 mak\$3 construct\$4) WITH stream\$5 WITH (unique\$2 NEAR2 (id ids identif\$8)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:54
S19 6	2	S193 AND ((discard\$3 delet\$3 eras\$3 trash\$3) NEAR4 (id ids identif\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:56
S19 5	5	S193 AND ((reus\$3 re-us\$3 (used NEAR2 (again once))) NEAR4 (id ids identif\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 17:56



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |
Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((free <near/4> space <near/4> management))<in>metadata"

[e-mail](#)

Your search matched 4 of 1527266 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending** order.

» Search Options

[View Session History](#)

Modify Search

[New Search](#)

((free <near/4> space <near/4> management))<in>metadata

[Search](#)

Check to search only within this results set

» Key

Display Format: Citation Citation & Abstract

IEEE JNL IEEE Journal or Magazine

[view selected items](#) [Select All](#) [Deselect All](#)

IET JNL IET Journal or Magazine

1. **Effective free space management for cut-based placement via analytical generation**

Alpert, C.J.; Gi-Joon Nam; Villarrubia, P.G.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction:
 Volume 22, Issue 10, Oct. 2003 Page(s):1343 - 1353
 Digital Object Identifier 10.1109/TCAD.2003.818126

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1601 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

2. **Free space management for cut-based placement [IC layout]**

Alpert, C.J.; Gi-Joon Nam; Villarrubia, P.G.;
Computer Aided Design, 2002. ICCAD 2002. IEEE/ACM International Conference on:
 10-14 Nov. 2002 Page(s):746 - 751
 Digital Object Identifier 10.1109/ICCAD.2002.1167615

[AbstractPlus](#) | Full Text: [PDF\(514 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

3. **A bit-parallel search algorithm for allocating free space**

Burns, R.; Hineman, W.;
Modeling, Analysis and Simulation of Computer and Telecommunication Systems, Proceedings. Ninth International Symposium on:
 15-18 Aug. 2001 Page(s):302 - 310
 Digital Object Identifier 10.1109/MASCOT.2001.948881

[AbstractPlus](#) | Full Text: [PDF\(848 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

4. Optimal Free-Space Management and Routing-Conscious Dynamic Place Reconfigurable Devices

Ahmadinia Ali ; Bobda Christophe ; Fekete P. ; Teich Jürgen ; van der Veen C.
IEEE Transactions on Computers : Accepted for future publication
 Volume PP, Issue 99, 2007 Page(s):1 - 1
 Digital Object Identifier 10.1109/TC.2007.1028

[AbstractPlus](#) | Full Text: [PDF\(192 KB\)](#) [IEEE JNL](#)

[Help](#) [Contact Us](#) [Privacy &](#)

hpydrv@yahoo.com | [My Account](#) | [Sign out](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)
[free space management stream with unique id](#) [Advanced Search](#) [Preferences](#)

Web Results 1 - 10 of about 925,000 for free space management stream with unique identifier. (0.37 seconds)

Title Index

... An Introduction to the **Stream Control Transmission Protocol (SCTP) ... Identifier (URI) Scheme for the Simple Network Management Protocol (SNMP) ...**
[dret.net/biblio/titles](#) - 977k - Cached - Similar pages

Title Index

[Was Simple Network **Management** Protocol. Now Historic. ... Structure and **identification of management** information for TCP/IP-based internets ...
[dret.net/rfc-index/titles](#) - Similar pages

Library Reference - The Eli Library

The operation `obstack_room` returns the amount of **free space** in the current ... **Unique Identifier Management**. #include "idn.h" int dofold; prtidnv(FILE *d, ...
[eli-project.sourceforge.net/elionline4.4/lib_1.html](#) - 65k - Cached - Similar pages

SGI TPL Browse Man Pages (Device Driver (D))

`rmfree` (D3) - **free space** into a private **space management** map ... `v_gethandle` (D3X) - get **unique identifier** associated with virtual handle ...
[techpubs.sgi.com/library/tpl/cgi-bin/browse.cgi?coll=0650&db=man&pth=/catD](#) - 72k - Cached - Similar pages

Introduction

A PPA is identified by a **unique PPA identifier**. ... A connection **management stream** is one that receives any connect requests that are not destined for ...
[www.opengroup.org/onlinepubs/009618899/chap1.htm](#) - 23k - Cached - Similar pages

SGI TPL (IRIX 5.3: Developer/DevDriver_PG - Glossary)

Allocate **space** from a private **space management** map. `rmfree`. **Free space** into a private ... Get **unique identifier** associated with virtual handle. `v_getlen` ...
[192.48.170.165/.../SGI_Developer/DevDriver_PG/sgi_html/go01.html](#) - 40k - Cached - Similar pages

[PDF] Surrogate Subsets: A- Free Space Management Strategy for the Index ...

File Format: PDF/Adobe Acrobat
Efficient Free Space Management. During append operations the index will ... Marker values will be **unique** within subsets (and hence there is never a false ...
[portal.acm.org/ft_gateway.cfm?id=98226&type=pdf&coll=&dl=acm&CFID=15151515&CFTOKEN=61...](#) - Similar pages

[PDF] Document Change Notice 2-033

File Format: PDF/Adobe Acrobat
Space management is much. easier as each **stream** has its own **space**, rather than the ...
Space Stream shall also be marked as allocated in the **free space** ...
[www.osta.org/specs/pdf/dcn200.pdf](#) - Similar pages

Hierarchical Storage Management in a Distributed VOD System

Each video accessible to the user has a **unique identifier**. ... the size of the object, Osize, is compared to the **free space** in the cache, Cfree. ...
[doi.ieeecomputersociety.org/10.1109/93.556538](#) - Similar pages

hpydrv@yahoo.com | My Account | Sign out

Web Images Video News Maps more »

free recording space management stream unique identifier

Search Advanced Search Preferences

Web Results 1 - 10 of about 1,060,000 for **free recording space management stream unique identifier**. (0.3s)

Title Index

... An Introduction to the **Stream** Control Transmission Protocol (SCTP) ... **Identifier** (URI)
Scheme for the Simple Network **Management** Protocol (SNMP) ...
[dret.net/biblio/titles](#) - 977k - Cached - [Similar pages](#)

Title Index

[Was Simple Network **Management** Protocol. Now Historic. ... Structure and **identification** of **management** information for TCP/IP-based internets ...
[dret.net/rfc-index/titles](#) - [Similar pages](#)

Digital Rights Management - Wikipedia, the free encyclopedia

Product activation: Restricts a product's functionality until it is registered with a publisher by means of a special **identification** code, often **recording** ...
[en.wikipedia.org/wiki/Digital_Rights_Management](#) - 110k - Mar 26, 2007 -
Cached - [Similar pages](#)

Files-11 - Wikipedia, the free encyclopedia

Record Management Services is the structured I/O layer of the VMS ... Every file on a Files-11 disk (or volume set) has a **unique file identification** (FID), ...
[en.wikipedia.org/wiki/Files-11](#) - 52k - Cached - [Similar pages](#)
[More results from [en.wikipedia.org](#)]

[PDF] Site Identification Form

File Format: PDF/Adobe Acrobat - [View as HTML](#)

This field is provided for you to enter your company's **unique identifier** used ... If the hazardous waste **stream** received more than one type of **management**, ...
[www.deq.state.or.us/lq/pubs/docs/hw/Reporting/GMFormElectronicInstructions.pdf](#) -
Similar pages

Human Identification in Information Systems: Management Challenges ...

For the purposes of **record** systems, these definitions are rather abstract and ... NZCS (1972) 'Investigation of a Unique Identification System' N.Z. Comp. ...
[www.anu.edu.au/people/Roger.Clarke/DV/HumanID.html](#) - 104k - Cached - [Similar pages](#)

J2ME Tech Tips: February 20, 2001

These classes are called the **Record Management System** (RMS). ... however, such as assigning each **record** a **unique identifier** that is valid for the lifetime ...
[java.sun.com/developer/J2METechTips/2001/tt0220.html](#) - 37k - Cached - [Similar pages](#)

java.net: Mobile Memories: The MIDP Record Management System

Each **record** includes **space** for the same set of fields. ... MIDlets read and write records through a **unique identifier** called the recordId
[java.net/pub/a/today/2004/11/16/J2ME-3.html](#) - 32k - Cached - [Similar pages](#)

On Stream Back Up Tapes - Enterprise Systems Product Directory ...

KnowledgeStorm provides free research of On **Stream** Back Up Tapes related enterprise software and ... archive, **space management** and bare-metal restore more. ...
[products.esj.com/search/keyword/esj/On%20Stream%20Back%20Up%20Tapes/On%20Stream%20Back%20Up%20Tapes](#) - 118k - Cached - [Similar pages](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
 The ACM Digital Library The Guide

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

[free recording space management unique stream identifier](#)

Sort results by

Save results to a Binder

Display results

Search Tips

Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

Found 412 of 7,578 searched out of 7,578.

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

1 [The architecture of concurrent programs](#)

Per Brinch Hansen

January 1977 Book

Publisher: Prentice-Hall, Inc.

Full text available: [pdf\(10.71 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

From the Preface

CONCURRENT PROGRAMMING

This book describes a method for writing concurrent computer programs of high quality. It is written for professional programmers and students who are faced with the complicated task of building reliable computer operating systems or real-time control programs.

The motivations for mastering concurrent programming are both economic and intellectual. Concurrent programming makes it possible to use a compu ...

2 [Query evaluation techniques for large databases](#)



Goetz Graefe

June 1993 **ACM Computing Surveys (CSUR)**, Volume 25 Issue 2

Publisher: ACM Press

Full text available: [pdf\(9.37 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Database management systems will continue to manage large data volumes. Thus, efficient algorithms for accessing and manipulating large sets and sequences will be required to provide acceptable performance. The advent of object-oriented and extensible database systems will not solve this problem. On the contrary, modern data models exacerbate the problem: In order to manipulate large sets of complex objects as efficiently as today's database systems manipulate simple records, query-processi ...

Keywords: complex query evaluation plans, dynamic query evaluation plans, extensible database systems, iterators, object-oriented database systems, operator model of parallelization, parallel algorithms, relational database systems, set-matching algorithms, sort-hash duality


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
Search: The ACM Digital Library The Guide


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **free space management stream unique identifier**

 Found **626** of **15,055** searched out of **15,055**.

Sort results by

relevance

 Save results to a Binder

Display results

expanded form

 Search Tips

 Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 20 of 200

 Result page: **1** [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale



1 The architecture of concurrent programs

Per Brinch Hansen

January 1977 Book

Publisher: Prentice-Hall, Inc.

 Full text available: [pdf\(10.71 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

From the Preface

CONCURRENT PROGRAMMING

This book describes a method for writing concurrent computer programs of high quality. It is written for professional programmers and students who are faced with the complicated task of building reliable computer operating systems or real-time control programs.

The motivations for mastering concurrent programming are both economic and intellectual. Concurrent programming makes it possible to use a compu ...



2 Streams, structures, spaces, scenarios, societies (5s): A formal model for digital libraries



Marcos André Gonçalves, Edward A. Fox, Layne T. Watson, Neill A. Kipp

 April 2004 **ACM Transactions on Information Systems (TOIS)**, Volume 22 Issue 2

Publisher: ACM Press

 Full text available: [pdf\(316.85 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)


Digital libraries (DLs) are complex information systems and therefore demand formal foundations lest development efforts diverge and interoperability suffers. In this article, we propose the fundamental abstractions of Streams, Structures, Spaces, Scenarios, and Societies (5S), which allow us to define digital libraries rigorously and usefully. Streams are sequences of arbitrary items used to describe both static and dynamic (e.g., video) content. Structures can be viewed as labeled directed gra ...

Keywords: applications., definitions, foundations, taxonomy